

Australian/New Zealand Standard™

**Occupational noise management**

**Part 4: Auditory assessment**



#### **AS/NZS 1269.4:2014**

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee AV-003, Acoustics Human Effects. It was approved on behalf of the Council of Standards Australia on 14 February 2014 and on behalf of the Council of Standards New Zealand on 7 February 2014.  
This Standard was published on 24 April 2014.

---

The following are represented on Committee AV-003:

Accident Compensation Corporation, New Zealand  
Association of Australian Acoustical Consultants  
Australian Acoustical Society  
Australian Chamber of Commerce and Industry  
Australian Council of Trade Unions  
Department of Commerce, WorkSafe Division, Western Australia  
Department of Defence, Australia  
Engineers Australia  
Ministry of Business, Innovation and Employment, New Zealand  
Ministry of Health, New Zealand  
National Acoustic Laboratories  
New South Wales Nurses Association  
New Zealand Audiological Society  
WorkSafe, Victoria

---

#### **Keeping Standards up-to-date**

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at [www.saiglobal.com.au](http://www.saiglobal.com.au) or Standards New Zealand web site at [www.standards.co.nz](http://www.standards.co.nz) and looking up the relevant Standard in the on-line catalogue.

For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia or Standards New Zealand at the address shown on the back cover.

---

*This Standard was issued in draft form for comment as DR AS/NZS 1269.4.*

---

# Australian/New Zealand Standard™

## Occupational noise management

### Part 4: Auditory assessment

Originated in Australia as part of AS 1269—1976.  
Jointly revised and redesignated AS/NZS 1269.4:1998.  
Previous edition AS/NZS 1269.4:2005.  
Third edition 2014.

#### **COPYRIGHT**

© Standards Australia Limited/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Australia) or the Copyright Act 1994 (New Zealand).

Jointly published by SAI Global Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001 and by Standards New Zealand, Private Bag 2439, Wellington 6140.

## PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee AV-003, Acoustics, Human Effects, to supersede AS/NZS 1269.4.

This is Part 4 in a series of Standards as follows:

### AS/NZS

- 1269 Occupational noise management
- 1269.0 Part 0: Overview and general requirements
- 1269.1 Part 1: Measurement and assessment of noise immission and exposure
- 1269.2 Part 2: Noise control management
- 1269.3 Part 3: Hearing protector program
- 1269.4 Part 4: Auditory assessment (this Standard)

The objective of this series of Standards is to provide requirements and guidance on all facets of occupational noise management. It is recommended that the reader refer to all Parts of AS/NZS 1269 to better understand all relevant terminology and objectives of occupational noise management.

This Standard lays down requirements and procedures for conducting pure-tone air conduction threshold audiometry that is used to monitor the hearing of individuals exposed to noise at work. Audiometric testing of persons exposed to excessive noise may be used for four distinct purposes as follows:

- (a) The early detection of deterioration of hearing in persons exposed to excessive noise, so that noise management measures can be reviewed and action taken to prevent further deterioration.
- (b) The identification and documentation of existing hearing loss.
- (c) The prompt direction of those individuals who are identified as having a hearing loss to an appropriate rehabilitation program.
- (d) The supply of any special communication or warning system that may be required within the workplace for an individual with a hearing loss.

The procedures in this Standard are not sufficient to diagnose the cause of an individual's hearing threshold loss or for the determination of percentage loss of hearing for compensation purposes. The Standard prescribes the conditions under which audiometry should be carried out, the form of the tests, and by whom the tests should be performed. It recommends the procedure for interpreting the test results and for comparison of a reference audiogram with follow-up (monitoring) audiograms, together with the course of action to be followed when deterioration of thresholds is detected.

The main changes from the 2005 edition of the Standard are replacement of the table of maximum acceptable ambient noise levels for particular makes and models of earphones/enclosure combinations with a method to calculate the maximum permissible ambient noise levels for any earphone/enclosure combination (Appendix C) and deletion of the informative appendix on otoacoustic emissions. The purpose of the change to Appendix C is to replace the device-based specification with a performance-based approach.

Where the number of an IEC Standard is provided in brackets after an Australian Standard number, the IEC Standard applies to New Zealand only and the Australian Standard applies to Australia only.

The terms 'normative' and 'informative' have been used in this Standard to define the application of the appendix to which they apply. A 'normative' appendix is an integral part of a Standard, whereas an 'informative' appendix is only for information and guidance.

## CONTENTS

	<i>Page</i>
FOREWORD.....	4
1 SCOPE.....	5
2 APPLICATION.....	5
3 REFERENCED DOCUMENTS .....	5
4 DEFINITIONS .....	6
5 AUDIOMETERS .....	7
6 ACOUSTICAL ENVIRONMENT FOR AUDIOMETRY.....	8
7 AUDIOMETRY .....	9
8 AUDIOMETRIC TEST PROCEDURES .....	12
9 ASSESSMENT OF AUDIOGRAMS .....	15
10 EVOKED OTOACOUSTIC EMISSIONS .....	17
11 CHECKLISTS.....	17
APPENDICES	
A MEASUREMENT OF AMBIENT NOISE LEVELS IN AUDIOMETRIC TEST ENVIRONMENTS .....	22
B MEASUREMENT OF NOISE REDUCTION OF AUDIOMETRIC BOOTHS .....	27
C MAXIMUM PERMISSIBLE AMBIENT NOISE LEVELS FOR WORKPLACE AUDIOMETRY PROGRAMS .....	30
D COMPETENCY REQUIREMENTS FOR AUDIOMETRISTS.....	33
E AUDIOMETRIC SYMBOLS FOR AUDIOGRAMS OBTAINED IN WORKPLACE AUDIOMETRY PROGRAMS .....	34
F ESTIMATED PREVALENCE OF NOISE-INDUCED HEARING LOSS AND PERCENTAGE LOSS OF HEARING IN NOISE-EXPOSED POPULATIONS .....	35
G EXAMPLES OF MAXIMUM PERMISSIBLE AMBIENT NOISE LEVELS FOR VARIOUS EARPHONE/CUSHION/ENCLOSURE/INSERT EARPHONE/HEADSET COMBINATIONS.....	42

## FOREWORD

Other parts of this series of Standards stress the importance of continuous monitoring of all phases of noise reduction and personal protector programs so that noise risks are addressed systematically and kept under constant control. Monitoring techniques include—

- (a) periodic audits of management systems;
- (b) regular inspections of plant, equipment and work processes;
- (c) ongoing monitoring of condition and usage of noise control equipment and personal protective equipment; and
- (d) re-assessments of noise on a regular basis and following any changes that could significantly alter noise exposure.

These techniques provide the information required to ensure that noise control and hearing protector programs are competently implemented, reviewed and, as time and resources permit, improved. For these purposes, checklists to assist in the evaluation of specific program elements are included in the appropriate sections of previous Parts.

If monitoring and evaluation are carried out systematically and any problems disclosed are promptly dealt with, there can be a high degree of confidence that the programs will be effective in minimizing occupational noise-induced hearing loss. However, organizations shall make a final outcome evaluation measure by providing noise-exposed employees with regular hearing tests, the results of which are examined for any signs of developing hearing loss. Such testing is not itself a protective mechanism and is relevant only in the context of a comprehensive noise management program.

Legislative requirements are also relevant in some jurisdictions. Most jurisdictions have workplace health and safety laws with a general requirement for health monitoring of workers exposed to hazards, and a specific regulatory requirement for regular audiometric testing for workers whose noise exposure is such that they need to rely on hearing protectors for risk management.

## STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

**Australian/New Zealand Standard**  
**Occupational noise management**

**Part 4: Auditory assessment**

**1 SCOPE**

This Standard specifies procedures and requirements for air conduction pure-tone audiometry (without masking) that are applicable to individuals whose hearing sensitivity might be adversely affected by occupational noise exposure and/or ototoxic agents.

**2 APPLICATION**

The procedures and requirements presented in this Standard are restricted to air conduction pure-tone threshold audiometry by earphones. Other techniques, such as bone conduction pure-tone threshold audiometry, masking and speech audiometry, are not specified. Techniques for computer-controlled audiometry are not specified but may be used. If used, computer-controlled audiometry techniques shall be shown to produce results equivalent to manual audiometry. The specifications in this Standard are not intended for audiological purposes.

**3 REFERENCED DOCUMENTS**

The following documents are referred to in this Standard:

**AS**

- 1259 Acoustics—Sound level meters\*  
 1259.1 Part 1: Non-integrating  
 1259.2 Part 2: Integrating—Averaging

**AS IEC**

- 60645 Electroacoustics—Audiological equipment  
 60645.1 Part 1: Pure-tone audiometers (IEC 60645-1:2001, MOD)  
 61672 Electroacoustics—Sound level meters  
 61672.1 Part 1: Specifications  
 61672.2 Part 2: Pattern evaluation tests  
 60942 Electroacoustics—Sound calibrators

**AS/NZS**

- 1269 Occupational noise management  
 1269.0 Part 0: Overview and general requirements  
 1269.1 Part 1: Measurement and assessment of noise immission and exposure  
 1269.3 Part 3: Hearing protector program  
 1270 Acoustics—Hearing protectors  
 4476 Acoustics—Octave-band and fractional octave-band filters

**EN**

- 352 Hearing protectors—Safety requirements and testing

---

\* The AS 1259 series has been superseded by AS IEC 61672, Parts 1 and 2 but remains available for existing users. Following the completion of the AS IEC 61672 series, the AS 1259 series will be withdrawn.